

Adult Malnutrition References¹⁻⁷⁴

1. Academy of Nutrition and Dietetics. Nutrition Screening Adults: Serum Proteins. Academy of Nutrition and Dietetics. <https://www.andeal.org/topic.cfm?cat=4302>. Published 2009. Accessed Feb 07, 2020.
2. Academy of Nutrition and Dietetics. Electronic Clinical Quality Measures (eCQMs). <https://www.eatrightpro.org/practice/quality-management/quality-improvement/malnutrition-quality-improvement-initiative>. Published 2018. Accessed Feb 04, 2020.
3. Academy of Nutrition and Dietetics. Malnutrition Quality Improvement Initiative. <http://malnutritionquality.org/index.html>. Published 2020. Accessed Feb 05, 2020.
4. Academy of Nutrition and Dietetics. CMS Approves Inclusion of Malnutrition Quality Measures. Academy of Nutrition and Dietetics,. <https://www.eatrightpro.org/news-center/in-practice/quality-and-coverage/cms-approves-inclusion-of-malnutrition-quality-measures>. Published 2020. Updated Feb 02, 2020. Accessed Feb 04, 2020.
5. Academy of Nutrition Dietetics. *Malnutrition Measures Specification Manual*. Chicago, IL: Academy of Nutrition and Dietetics; 2017.
6. Alibhai SM, Greenwood C, Payette H. An approach to the management of unintentional weight loss in elderly people. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2005;172(6):773-780.
7. Allaudeen N, Vidyarthi A, Maselli J, Auerbach A. Redefining readmission risk factors for general medicine patients. *Journal of hospital medicine*. 2011;6(2):54-60.
8. Alliance to Advance Patient Nutrition. Malnutrition Screening Tool. http://static.abbottnutrition.com/cms-prod/malnutrition.com/img/Alliance_Malnutrition_Screening_Tool_2014_v1.pdf. Published 2014. Accessed Feb 07, 2020.
9. American Geriatrics Society Beers Criteria Update Expert P. American Geriatrics Society updated Beers Criteria for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*. 2012;60(4):616-631.
10. Barker LA, Gout BS, Crowe TC. Hospital malnutrition: prevalence, identification and impact on patients and the healthcare system. *Int J Environ Res Public Health*. 2011;8(2):514-527.
11. Boullata JJ, Hudson LM. Drug-nutrient interactions: a broad view with implications for practice. *Journal of the Academy of Nutrition and Dietetics*. 2012;112(4):506-517.
12. Canadian Malnutrition Task Force. Subjective Global Assessment (SGA) Form. Canadian Malnutrition Task Force. [https://nutritioncareinCanada.ca/sites/default/uploads/files/SGA%20Tool%20EN%20colour_2017\(1\).pdf](https://nutritioncareinCanada.ca/sites/default/uploads/files/SGA%20Tool%20EN%20colour_2017(1).pdf). Published 2017. Accessed Feb 04, 2020.
13. Chan LN. Drug-nutrient interactions. *JPEN J Parenter Enteral Nutr*. 2013;37(4):450-459.
14. Corkins MR, Guenter P, DiMaria-Ghalili RA, et al. Malnutrition diagnoses in hospitalized patients: United States, 2010. *JPEN J Parenter Enteral Nutr*. 2014;38(2):186-195.
15. Correia MI, Hegazi RA, Higashiguchi T, et al. Evidence-based recommendations for addressing malnutrition in health care: an updated strategy from the feedM.E. Global Study Group. *Journal of the American Medical Directors Association*. 2014;15(8):544-550.
16. Correia MI, Waitzberg DL. The impact of malnutrition on morbidity, mortality, length of hospital stay and costs evaluated through a multivariate model analysis. *Clin Nutr*. 2003;22(3):235-239.
17. Duerksen DR, Laporte M, Jeejeebhoy K. Evaluation of Nutrition Status Using the Subjective Global Assessment: Malnutrition, Cachexia, and Sarcopenia. *Nutr Clin Pract*. 2021;36(5):942-956.

18. Evans DC, Corkins MR, Malone A, et al. The Use of Visceral Proteins as Nutrition Markers: An ASPEN Position Paper. *Nutr Clin Pract.* 2021;36(1):22-28.
19. Ferguson ML, Bauer J, Gallagher B, Capra S, Christie DR, Mason BR. Validation of a malnutrition screening tool for patients receiving radiotherapy. *Australasian radiology.* 1999;43(3):325-327.
20. Fingar KR, Weiss AJ, Barrett ML, et al. All-Cause Readmissions Following Hospital Stays for Patients With Malnutrition, 2013. HCUP Statistical Brief #210. Agency for Healthcare Research and Quality. <https://hcup-us.ahrq.gov/reports/statbriefs/sb218-Malnutrition-Readmissions-2013.jsp>. Published 2016. Accessed 04 Feb, 2020.
21. Fluck D, Fry CH, Gulli G, et al. Association of risk of malnutrition with adverse outcomes and early support on discharge in acute stroke patients without prestroke disability: A multicenter, registry-based cohort study. *Nutr Clin Pract.* 2021.
22. Fry DE, Pine M, Jones BL, Meimban RJ. Patient characteristics and the occurrence of never events. *Arch Surg.* 2010;145(2):148-151.
23. Fuhrman MP, Charney P, Mueller CM. Hepatic proteins and nutrition assessment. *J Am Diet Assoc.* 2004;104(8):1258-1264.
24. Guenter P, Abdelhadi R, Anthony P, et al. Malnutrition diagnoses and associated outcomes in hospitalized patients: United States, 2018. *Nutr Clin Pract.* 2021;36(5):957-969.
25. Guerra RS, Fonseca I, Pichel F, Restivo MT, Amaral TF. Usefulness of six diagnostic and screening measures for undernutrition in predicting length of hospital stay: a comparative analysis. *Journal of the Academy of Nutrition and Dietetics.* 2015;115(6):927-938.
26. Guerra RS, Sousa AS, Fonseca I, et al. Comparative analysis of undernutrition screening and diagnostic tools as predictors of hospitalisation costs. *J Hum Nutr Diet.* 2016;29(2):165-173.
27. Hand RK, Murphy WJ, Field LB, et al. Validation of the Academy/A.S.P.E.N. Malnutrition Clinical Characteristics. *Journal of the Academy of Nutrition and Dietetics.* 2016;116(5):856-864.
28. Hernandez B, Tyler R, Barrocas A, Guenter P, American Society for Parenteral and Enteral Nutrition (ASPEN) Value Project Scientific Advisory Council. Using patient outcomes evidence to demonstrate economic value of nutrition support intervention. Institute for Healthcare Improvement National Forum on Quality Improvement in Health Care; Dec 19, 2019, 2019; Orlando, FL.
29. Heuberger RA, Caudell K. Polypharmacy and nutritional status in older adults: a cross-sectional study. *Drugs & aging.* 2011;28(4):315-323.
30. Heyland DK, Dhaliwal R, Jiang X, Day AG. Identifying critically ill patients who benefit the most from nutrition therapy: the development and initial validation of a novel risk assessment tool. *Crit Care.* 2011;15(6):R268.
31. Hiesmayr M, Schindler K, Pernicka E, et al. Decreased food intake is a risk factor for mortality in hospitalised patients: the NutritionDay survey 2006. *Clin Nutr.* 2009;28(5):484-491.
32. Hiller LD, Shaw RF, Fabri PJ. Difference in Composite End Point of Readmission and Death Between Malnourished and Nonmalnourished Veterans Assessed Using Academy of Nutrition and Dietetics/American Society for Parenteral and Enteral Nutrition Clinical Characteristics. *JPEN J Parenter Enteral Nutr.* 2017;41(8):1316-1324.
33. Hipkind P, Rath M, JeVenn A, et al. Correlation of New Criteria for Malnutrition Assessment in Hospitalized Patients: AND-ASPEN Versus SGA. *Journal of the American College of Nutrition.* 2019:1-10.
34. Hurt RT, McClave SA, Evans DC, et al. Targeted Physician Education Positively Affects Delivery of Nutrition Therapy and Patient Outcomes: Results of a Prospective Clinical Trial. *JPEN J Parenter Enteral Nutr.* 2015;39(8):948-952.
35. Jensen GL. Malnutrition Forum introduction. *JPEN J Parenter Enteral Nutr.* 2013;37(6):794-795.

36. Jensen GL, Bistrain B, Roubenoff R, Heimbürger DC. Malnutrition syndromes: a conundrum vs continuum. *JPEN J Parenter Enteral Nutr.* 2009;33(6):710-716.
37. Jensen GL, Cederholm T, Correia M, et al. GLIM Criteria for the Diagnosis of Malnutrition: A Consensus Report From the Global Clinical Nutrition Community. *JPEN J Parenter Enteral Nutr.* 2019;43(1):32-40.
38. Jensen GL, Compher C, Sullivan DH, Mullin GE. Recognizing malnutrition in adults: definitions and characteristics, screening, assessment, and team approach. *JPEN J Parenter Enteral Nutr.* 2013;37(6):802-807.
39. Jensen GL, Mirtallo J, Compher C, et al. Adult starvation and disease-related malnutrition: a proposal for etiology-based diagnosis in the clinical practice setting from the International Consensus Guideline Committee. *JPEN J Parenter Enteral Nutr.* 2010;34(2):156-159.
40. Johansen N, Kondrup J, Plum LM, et al. Effect of nutritional support on clinical outcome in patients at nutritional risk. *Clin Nutr.* 2004;23(4):539-550.
41. Kirkland LL, Kashiwagi DT, Brantley S, Scheurer D, Varkey P. Nutrition in the hospitalized patient. *Journal of hospital medicine.* 2013;8(1):52-58.
42. Kondrup J. Nutritional-risk scoring systems in the intensive care unit. *Current opinion in clinical nutrition and metabolic care.* 2014;17(2):177-182.
43. Kondrup J, Rasmussen HH, Hamberg O, Stanga Z, Ad Hoc EWG. Nutritional risk screening (NRS 2002): a new method based on an analysis of controlled clinical trials. *Clin Nutr.* 2003;22(3):321-336.
44. Kruizenga HM, Van Tulder MW, Seidell JC, Thijs A, Ader HJ, Van Bokhorst-de van der Schueren MA. Effectiveness and cost-effectiveness of early screening and treatment of malnourished patients. *The American journal of clinical nutrition.* 2005;82(5):1082-1089.
45. Meehan A, Partridge J, Jonnalagadda SS. Clinical and Economic Value of Nutrition in Healthcare: A Nurse's Perspective. *Nutr Clin Pract.* 2019;34(6):832-838.
46. Mosquera C, Koutlas NJ, Edwards KC, et al. Impact of malnutrition on gastrointestinal surgical patients. *The Journal of surgical research.* 2016;205(1):95-101.
47. Mueller C, Compher C, Ellen DM, American Society for P, Enteral Nutrition Board of D. A.S.P.E.N. clinical guidelines: Nutrition screening, assessment, and intervention in adults. *JPEN J Parenter Enteral Nutr.* 2011;35(1):16-24.
48. Mulasi U, Vock DM, Kuchnia AJ, et al. Malnutrition Identified by the Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition Consensus Criteria and Other Bedside Tools Is Highly Prevalent in a Sample of Individuals Undergoing Treatment for Head and Neck Cancer. *JPEN J Parenter Enteral Nutr.* 2018;42(1):139-147.
49. Nicolo M, Compher CW, Still C, Huseini M, Dayton S, Jensen GL. Feasibility of accessing data in hospitalized patients to support diagnosis of malnutrition by the Academy-A.S.P.E.N. malnutrition consensus recommended clinical characteristics. *JPEN J Parenter Enteral Nutr.* 2014;38(8):954-959.
50. Norman K, Pichard C, Lochs H, Pirlich M. Prognostic impact of disease-related malnutrition. *Clin Nutr.* 2008;27(1):5-15.
51. nutritionDay Worldwide. nutritionDay Worldwide. www.nutritionday.org Published 2020. Accessed Feb 04, 2020.
52. Oliveira ML, Heyland DK, Silva FM, et al. Complementarity of modified NUTRIC score with or without C-reactive protein and subjective global assessment in predicting mortality in critically ill patients. *Revista Brasileira de terapia intensiva.* 2019;31(4):490-496.
53. Otero T, Canales C, Belcher D, Tsai A, Azocar R, Quraishi SA. 2835275 - Red cell distribution width may be a suitable proxy for interleukin-6 to calculate nutrition risk in the critically ill scores for surgical intensive care unit patients. *JPEN J Parenter Enteral Nutr.* 2018;42(2):491.

54. Persson M, Hytter-Landahl A, Brismar K, Cederholm T. Nutritional supplementation and dietary advice in geriatric patients at risk of malnutrition. *Clin Nutr.* 2007;26(2):216-224.
55. Pichard C, Kyle UG, Morabia A, Perrier A, Vermeulen B, Unger P. Nutritional assessment: lean body mass depletion at hospital admission is associated with an increased length of stay. *The American journal of clinical nutrition.* 2004;79(4):613-618.
56. Rahman A, Hasan RM, Agarwala R, Martin C, Day AG, Heyland DK. Identifying critically-ill patients who will benefit most from nutritional therapy: Further validation of the "modified NUTRIC" nutritional risk assessment tool. *Clin Nutr.* 2016;35(1):158-162.
57. Riley K, Sulo S, Dabbous F, et al. Reducing Hospitalizations and Costs: A Home Health Nutrition-Focused Quality Improvement Program. *JPEN J Parenter Enteral Nutr.* 2020;44(1):58-68.
58. Russell CA. The impact of malnutrition on healthcare costs and economic considerations for the use of oral nutritional supplements. *Clinical Nutrition Supplements.* 2007;2(1):25-32.
59. Sauer AC, Goates S, Malone A, et al. Prevalence of Malnutrition Risk and the Impact of Nutrition Risk on Hospital Outcomes: Results From nutritionDay in the U.S. *JPEN J Parenter Enteral Nutr.* 2019;43(7):918-926.
60. Schneider SM, Veyres P, Pivot X, et al. Malnutrition is an independent factor associated with nosocomial infections. *Br J Nutr.* 2004;92(1):105-111.
61. Skipper A, Coltman A, Tomesko J, et al. Position of the Academy of Nutrition and Dietetics: Malnutrition (Undernutrition) Screening Tools for All Adults. *Journal of the Academy of Nutrition and Dietetics.* 2020;120(4):709-713.
62. Skipper A, Coltman A, Tomesko J, et al. Adult Malnutrition (Undernutrition) Screening: An Evidence Analysis Center Systematic Review. *Journal of the Academy of Nutrition and Dietetics.* 2020;120(4):669-708.
63. Skipper A, Ferguson M, Thompson K, Castellanos VH, Porcari J. Nutrition screening tools: an analysis of the evidence. *JPEN J Parenter Enteral Nutr.* 2012;36(3):292-298.
64. Somanchi M, Tao X, Mullin GE. The facilitated early enteral and dietary management effectiveness trial in hospitalized patients with malnutrition. *JPEN J Parenter Enteral Nutr.* 2011;35(2):209-216.
65. Souza TT, Sturion CJ, Faintuch J. Is the skeleton still in the hospital closet? A review of hospital malnutrition emphasizing health economic aspects. *Clin Nutr.* 2015;34(6):1088-1092.
66. Stajkovic S, Aitken EM, Holroyd-Leduc J. Unintentional weight loss in older adults. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne.* 2011;183(4):443-449.
67. Starke J, Schneider H, Alteheld B, Stehle P, Meier R. Short-term individual nutritional care as part of routine clinical setting improves outcome and quality of life in malnourished medical patients. *Clin Nutr.* 2011;30(2):194-201.
68. Tobert CM, Mott SL, Nepple KG. Malnutrition Diagnosis during Adult Inpatient Hospitalizations: Analysis of a Multi-Institutional Collaborative Database of Academic Medical Centers. *Journal of the Academy of Nutrition and Dietetics.* 2018;118(1):125-131.
69. Tyler R, Barrocas A, Guenter P, American Society for P, Enteral Nutrition Value Project Scientific Advisory C. ASPEN Value Project: What the Field Needs to Move Forward. *Nutr Clin Pract.* 2019;34(6):800-801.
70. Tyler R, Barrocas A, Guenter P, et al. Value of Nutrition Support Therapy: Impact on Clinical and Economic Outcomes in the United States. *JPEN J Parenter Enteral Nutr.* 2020;44(3):395-406.
71. Wang CY, Huang CT, Chen CH, Chen MF, Ching SL, Huang YC. Optimal Energy Delivery, Rather than the Implementation of a Feeding Protocol, May Benefit Clinical Outcomes in Critically Ill Patients. *Nutrients.* 2017;9(5).

72. Weekes CE, Elia M, Emery PW. The development, validation and reliability of a nutrition screening tool based on the recommendations of the British Association for Parenteral and Enteral Nutrition (BAPEN). *Clin Nutr.* 2004;23(5):1104-1112.
73. Weiss AJ, Fingar KR, Barrett ML, et al. Characteristics of Hospital Stays Involving Malnutrition, 2013: Statistical Brief #210. In: *Healthcare Cost and Utilization Project (HCUP) Statistical Briefs*. Rockville (MD): Agency for Healthcare Research and Quality (US); 2016.
74. White JV, Guenter P, Jensen G, et al. Consensus statement: Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). *JPEN J Parenter Enteral Nutr.* 2012;36(3):275-283.